Adding a Phantom Voicemail User.

Open the Manager application and receive a configuration from the IP Office. Click on User in the configuration tree. All of the users will show in the window.

Manager [255.255.255.255.] (C:\Documents and Settings\\Midwest Mechanical\) MidwestMech12311539.cfg Fig. Edt. View Tools Window Heb								
Configuration Tree							-0×	
	Name	Extension	Options	Forwarding	ForwardNum	FollowMeNum	1	
😟 🖬 Operator (4)	SP Barbush	2007	VoiceMail Callwaiting	, 2		1		
System MidwestMech	SP RathurthEav	2017	Cally/aiting					
😟 🖂 🖳 Line (1)	S Brail BCall	2334	Cally/aiting	Uncond	96129595765			
🗄 📲 Control Unit (5)	St Brat Biemensch	2034	VoiceMail Calls/aiting	oncord	30120333103			
😟 📖 Extension (34)	Clash Grant	2034	VoiceMail Callufating					
⊞	Se Claix urant	2072	Voicemail Cally/aiting					
曲 一競 Hunt Group (5)	2 Clossidads	2020	Calls (aiting	Incord	0E1 27 4 2001 A			
# Shortcode (91)	DanMueller	2000	Valential Callufating	Uncond	30127430014			
Service (0)	2 Danmueller	2005	Calls (a) and	The second	001 001 0000 4			
🗄 🗠 🐼 RAS (1)	2 Darivicei	2000	Calify along	oncond	30120103304			
Incoming Call Route (81)	2.5 Danwieding	2000	Collection and Calify along	Descent	07024020051			
WAN Port (U)	2 CDIEWI Lell	2305	California Collectoria	Uncond	37634620651			
Time Directory (U)	2 Conditionisen	2000	Voicemail Laiwaking					
Time Pronie (U)	25 Goodmorning	2022	Voicemail		0700/000/00			
Pirewai Profile (1)	2.C Jason KLei	2357	Laiwaiting	Uncond	37634823482			
I least Cost Poste (0)	2.5 JasonKely	2057	VoiceMail LalfWaiting					
Burne (1)	2.SJonnwally	2002	VoiceMail		07004404400			
Account Code (0)	2.5 JordanHLell	2359	Laiwaiting	Uncond	97634421120			
User Restriction (0)	2.5 JordanHoffmann	2059	VoiceMail LalfWaiting					
Logical LAN (0)	5 Julestiehring	2031	VoiceMail CalfWaiting					
Tunnel (0)	23 LabStaff	2019	VoiceMail CalfWaiting					
E911 System(1)	S LabStatt ax	2032	CalWaiting					
	23 MarkMcCell	2360	CalWaiting	Uncond	96125813535			
	53 MarkMcCollough	2060	VoiceMail CallWaiting					
	53 MarkMCell	2333	CalWaiting	Uncond	96128677092			
	55 MarkMuhstein	2033	VoiceMail CallWaiting					
	5 MattJacobsen	2062	VoiceMail CallWaiting					
	MatuCel	2362	Callv/aiting	Uncond	96128403217			
	53 MickMCell	2354	CalWaiting	Uncond	99524844272			
	53 MickMiller	2054	VoiceMail CallWaiting					
	25 MidwestFax	2051	CalWaiting					
	25 Modem	2021	CalWaiting					
	MonicaUnderw	2071	VoiceMail CallWaiting					
	NickBCell	2356	CallWaiting	Uncond	96125786112			
	2 NickBrecht	2056	VoiceMail CallWaiting					
	NoUser		VoiceMail	Outward Restrict				
	PatrickPCell	2335	CallWaiting	Uncond	96128010814			
	RetrickPeterson	2035	VoiceMail CallWaiting					
	PaulLarson	2074	VoiceMail CallWaiting					
	RemoteManager		VoiceMail Dialln					
	SteveSandin	2044	VoiceMail CallWaiting					
	SteveSCell	2344	Call/vaiting	Uncond	96128039003			
	SteveWagenh	2030	VoiceMail CallWaiting					
	SueVCell	2303	Callw/aiting	Uncond	99524961379		I	
	SueVigliaturo	2003	VoiceMail CallWaiting					
	沈ToddCCell	2373	Call/vaiting	Uncond	99522216464			
	ToddCourneya	2073	VoiceMail CallWaiting					
	TomBCell	2337		Uncond	96123257473			
1	TomBredesen	2037	VoiceMail CallWaiting					
1	党 TonySCell	2315	Call/vaiting	Uncond	96128107029			
1	党TonyStiglich	2015	VoiceMail CallWaiting					
							I	
	1							
2	2							

Right click anywhere in the window to the right and select New. The following should display:

Manager [255.255.25 ☆ Eile Edit View Iool	5.255] (D:\Program Files\\Manager\) FMP06-25-02.cfg - [User Extn201] S Window Help	
User Extn201		
User Voicemail DND	ShortCodes SourceNumbers Telephony Forwarding Dial In VoiceRecording Butto	onProgramming Coverage
Name	Extn201	
Password		
Confirm Password		
Full Name		
Extension	201	
Locale		
Priority	5	
		1

Place your cursor in the Name field. Enter a name for the new user that is unique. This field is very important. Many other areas in the system look to this field as a reference for this particular user the most import of which is the voicemail system. Try to stay with the same naming convention that is currently used for the system (i.e. JSmith noting the uses of capital letters and spaces).

Place your cursor in the Full Name field and enter the user's full name.

Place your cursor in the Extension field and enter the extension number of a phantom extension.

Image: Set View Look Window Hep Image: Secure Numbers Telephone Forwarding Dialin VoiceRecording ButonFrogramming User Voicemail Code Image: Voicemail On Confine Voicemail Code Image: Voicemail On Image: Voicemail Code Voicemail Enail Image: Voicemail Fingback Voicemail Fingback Voicemail Reception Image: Voicemail Fingback Voicemail Fingback Voicemail Reception Image: Voicemail Fingback Image: Voicemail Fingback Voice	🚺 Manager (255.255.255.255) (D:\Program File	ss\Manager\] Weldon+Asphalt3_4.cfg - [User Extn205]	_ 8 ×
User Vicional DND ShortCodes ScurceNumbers Telephory Forwarding Dial In Vicional ButtonProgramming Vocenal Code Vocenal Pob Vocenal Enail Vocenal Pingbaok. Vocenal Enail Vocenal Fingbaok. Vocenal Fingbaok. Vocenal Enail Cory Forward Vocenal Enail Vocenal Enail <	我 File Edit View Iools Window Help		_ 8 ×
User Motomail DND ShortCodes Telephony Forwarding Duto Programming Voicemail Code Image: Code Image: Code Image: Code Image: Code Voicemail Enail Image: Code Image: Code Image: Code Voicemail Enail Image: Code Image: Code Image: Code Ima			
Vocenail Code Vocenail Heb Vocenail Enail Vocenail Ringbook Vocenail Enail Vocenail Enail C OH C Copy C Forward C Alert	User Voicemai DND ShortCodes SourceNun	nbers Telephony Forwarding Dial In VoiceRecording ButtonProgramming	
Confirm Mcicemai Code Voicemai Heb Voicemail Emai Voicemai Ringbaok. Voicemail Emai C Ogi C Copy C Fowerd C Alert	Voicemail Code	T Veicemai Dn	
Voicemail Enail Voicemail Enail Off Copy Fouward Alert	Confirm Voicemail Code	T Vcicemai Help	
Voicemail Enait Voicemail Enait Output Outp	Voicemail Emai	Vcicemal Ringback	
Volcemal Email Copy Copy Fouward Alert	Voicemail Reception		
	Voicemal Email C Off C Copy C Forward C Alert		
OK Cancel Help		OK Concel Help	

Click on the Voicemail Tab. The following will appear:

Place a check in the small white box next to Voicemail On and the Voicemail Help if voicemail is desired for this station. De-select Voicemail Ringback

Enter the default voicemail code of 1234 and enter it again in the Confirm Voicemail Code field.

Enter the extension number of the Operator in the Voicemail Reception field if it is not already entered.

Click OK on the main user form when all modifications are complete.

The system will then ask you if you would like to "Create a new VOIP extension with this number", click on NO. When it asks you if you are sure, select YES.

Save and send the configuration to the IP Office unit. The changes that you have just made will require an immediate reboot.