

Adding Voicemail to a User.

Open the Manager application and receive a configuration from the IP Office. Click on User in the configuration tree.

The screenshot shows the Manager application interface. On the left is the Configuration Tree, and on the right is a table listing user configurations. The table has columns for Name, Extension, Options, Forwarding, ForwardNum, and FollowMeNum.

Name	Extension	Options	Forwarding	ForwardNum	FollowMeNum
BBarbush	2007	VoiceMail CallWaiting			
BBarbushFax	2017	CallV/aling			
BriefPCell	2334	CallV/aling	Uncond	96128695765	
BriefRiemensch.	2034	VoiceMail CallWaiting			
ClarkGrant	2072	VoiceMail CallWaiting			
Crossroads	2020	VoiceMail CallWaiting			
DaniMCell	2363	CallV/aling	Uncond	96127438814	
DaniMueler	2063	VoiceMail CallWaiting			
DaniWCell	2358	CallV/aling	Uncond	96128105364	
DaniWeling	2058	VoiceMail CallWaiting			
DrewTCell	2355	CallV/aling	Uncond	97634820651	
DrewThomson	2055	VoiceMail CallWaiting			
GoodMorning	2022	VoiceMail			
JasonKCell	2357	CallV/aling	Uncond	97634823482	
JasonKaly	2057	VoiceMail CallWaiting			
JohnWally	2002	VoiceMail			
JordanHCell	2359	CallV/aling	Uncond	97634421120	
JordanHoffmann	2059	VoiceMail CallWaiting			
JulesGehring	2031	VoiceMail CallWaiting			
LabStaff	2019	VoiceMail CallWaiting			
LabStaffFax	2032	CallV/aling			
MarkMcCell	2360	CallV/aling	Uncond	96125813535	
MarkMcCollough	2060	VoiceMail CallWaiting			
MarkMCell	2333	CallV/aling	Uncond	96128677092	
MarkMuhstein	2033	VoiceMail CallWaiting			
MatJacobsen	2062	VoiceMail CallWaiting			
MatUCell	2362	CallV/aling	Uncond	96128403217	
MickMCell	2354	CallV/aling	Uncond	99524844272	
MickMiller	2054	VoiceMail CallWaiting			
MidwestFax	2051	CallV/aling			
Modem	2021	CallV/aling			
MonicaUnderw.	2071	VoiceMail CallWaiting			
NickBCell	2356	CallV/aling	Uncond	96125786112	
NickBrecht	2056	VoiceMail CallWaiting			
NoUser		VoiceMail	Outward Restrict		
PatrickPCell	2335	CallV/aling	Uncond	96128010814	
PatrickPeterson	2035	VoiceMail CallWaiting			
PaulLarson	2074	VoiceMail CallWaiting			
RemoteManager		VoiceMail DialIn			
SteveSandin	2044	VoiceMail CallWaiting			
SteveSCell	2344	CallV/aling	Uncond	96128039003	
SteveWagerh.	2030	VoiceMail CallWaiting			
SueVCell	2303	CallV/aling	Uncond	99524961379	
SueVglatuo	2003	VoiceMail CallWaiting			
ToddCCell	2373	CallV/aling	Uncond	99522216464	
ToddCourneya	2073	VoiceMail CallWaiting			
TomBCell	2337	CallV/aling	Uncond	96123257473	
TomBredesen	2037	VoiceMail CallWaiting			
TonySCell	2315	CallV/aling	Uncond	96128107029	
TonyStiglich	2015	VoiceMail CallWaiting			

Right click in the window to the right and select the desired user. A menu box similar to the following will appear.

The screenshot shows a web browser window with the title "Manager [255.255.255.255] (D:\Program Files\...\Manager\ FMP06-25-02.cfg - [User Extn201])". The browser's address bar and menu bar (File, Edit, View, Tools, Window, Help) are visible. Below the browser window is a configuration page for a user named "User Extn201". The page has a tabbed interface with the "User" tab selected. Other tabs include "Voicemail", "DND", "ShortCodes", "SourceNumbers", "Telephony", "Forwarding", "Dial In", "VoiceRecording", "ButtonProgramming", and "Coverage". The "User" tab contains several input fields:

Name	<input type="text" value="Extn201"/>
Password	<input type="password"/>
Confirm Password	<input type="password"/>
Full Name	<input type="text"/>
Extension	<input type="text" value="201"/>
Locale	<input type="text"/>
Priority	<input type="text" value="5"/>

At the bottom of the configuration page, there are several buttons: "OK", "Cancel", "Apply", and "Help".

Click on the Voicemail Tab.

The screenshot shows a software window titled "Manager [255.255.255.255] [D:\Program Files\... \Manager\] Woldon+Asphalt3_4.cfg - [User Extrn206]". The window has a menu bar with "File", "Edit", "View", "Tools", "Window", and "Help". Below the menu bar is a toolbar with icons for a folder and a floppy disk. The main area contains a tabbed interface with the following tabs: "User", "Voicemail", "DND", "ShortCodes", "SourceNumbers", "Telephone", "Forwarding", "Dial In", "VoiceRecording", and "ButtonProgramming". The "Voicemail" tab is selected. It contains several input fields and checkboxes:

- "Voicemail Code" with an empty text box and a checkbox labeled "Voicemail On".
- "Confirm Voicemail Code" with an empty text box and a checkbox labeled "Voicemail Help".
- "Voicemail Email" with an empty text box and a checkbox labeled "Voicemail Ringback".
- "Voicemail Reception" with an empty text box.
- A "Voicemail Email" section with a group box containing four radio buttons: "Off" (selected), "Copy", "Forward", and "Alert".


At the bottom of the window are three buttons: "OK", "Cancel", and "Help". A status bar at the very bottom reads: "Received SD OTP request for 00601d244a1b 0.0.0.0 , unable to process".

Place a check in the small white box next to Voicemail On and the Voicemail Help.

Enter the default voicemail code of 1234 and enter it again in the Confirm Voicemail Code field.

Enter the extension number of the Operator in the Voicemail Reception field.

Click on the SourceNumbers tab. The follow will appear:



Double click on the V### entry. A menu box will appear with the V### number highlighted. Change this to read Vxxx to match the extension (i.e. V301) and click OK.

Click OK on the main user form when all modifications are complete.

Save and send the configuration to the IP Office unit. The changes that you have just made will require only a merge configuration.